



# MOBILE WATER SOLUTIONS





---

#### QUICK FACT

Aria FAST mobile water units can deliver 45 gpm to over 1,400 gpm (10 to 320 m<sup>3</sup>/hr). Multiple units can be configured for larger capacities, providing the quality and quantity of water you need, when and where you need it.

For over 20 years, Pall has provided municipalities and industries with reliable water treatment solutions to meet their most complex water challenges. Whether your needs are pre-planned or require emergency response, our fleet of membrane based water solutions provide high quality water to meet your specific needs. With an extensive global footprint, our trained engineers can respond quickly to keep your water flowing.



## WATER ON DEMAND— WHEN AND WHERE YOU NEED IT

### aria<sup>fast</sup>

- Municipal water treatment
- Seawater RO pretreatment
- Cooling tower blowdown
- Water recycling and reuse
- Mining and process water

### impro

- Municipal and industrial applications
- High recovery
- Minimum waste disposal
- Intelligent operation
- Reduced energy consumption

#### A FAST SOLUTION TO MEET YOUR SPECIFIC NEEDS:

- **Pre-Planned Shutdowns:** Short or long-term water services for planned maintenance, meet seasonal peak demand or supplement your supply.
- **Emergency Response:** Rental assets that can deploy and be up in running in hours.
- **Permanent Solutions:** Modular assets are available for purchase or long-term lease to deliver high quality membrane filtration without the expense of costly civil works.
- **Aria™ CARE Services:** Skilled service engineers available 24 hours a day to respond to technical questions or provide optimization assistance.

#### HOW IT WORKS

Using robust membranes filtration, the **Aria™ FAST** mobile system transforms discharge water, ground water, surface water, and secondary effluent into water that is free from harmful bacteria, cysts, and particles, ready for either both drinking water or industrial use.

#### TYPICAL SPECIFICATIONS:

- **Inlet Maximum and Minimum Water Temperature:** 40°C / 4°C (104°F / 40°F)
- **Filtrate Turbidity:** < 0.1 NTU max, < 0.02 NTU typical
- **Filtrate SDI:** < 3 maximum, < 2.5 typical
- **Filtrate Bacteria and Particles:** > 0.1µ removed to non-detectable limits (> 99.999%)
- Effective removal of oxidized iron, manganese, and arsenic






---

## PALL WATER

Americas: +1 (866) 475.0115

EMEA Office: +49 (0) 671 79610 325

APAC Office: +61 (0)2 4340 8900

 @Pall\_Water |  company/pallwater |  info@pallwater.com

[pallwater.com](http://pallwater.com)

Pall Water has installations all over the globe. To speak to a Pall Water representative in your area, please go to [www.pallwater.com](http://www.pallwater.com).

Because of technological developments related to the products, systems, and/or services described herein, the data and procedures are subject to change without notice. Please consult your local representative to verify that this information remains valid.

© Copyright 2017, Pall Corporation. Pall, and Aria are trademarks of Pall Corporation. ® Indicates a trademark registered in the USA. ™ is a common law mark in the USA and is a service mark of Pall Corporation. Document ID: PWMOBILEWATERBb.